

1 K1-F6

A6-1450TYC




CPU	AMD A6-1450 1.0G-1.4GHz
Cores/Threads	4 Cores / 4 Threads
Cache	2 MB L2 Cache
TDP	8W
Architecture	Jaguar
Memory	1*DDR3L slot, max support 8GB
Storage	SSD (mSATA) Not support HDD expansion
Audio Card	HD Audio realtek ALC 662
Graphics	AMD Radeon HD 8250
Network	10/100/1000Mbps Adaptive, RTL 8111H
Extendable	WIFI+Bluetooth Module (MINI PCIE)
OS Support	Windows (Not include XP) & Linux
I/O Ports	4*USB2.0, 2*USB3.0, 1*VGA, 1*HDMI, 1*RJ45, 1*DC, 1*MIC-IN, 1*LINE-OUT, 1*Type-C, 1*CLR_CMOS
Internal I/O Ports	2*COM Pin

BIOS Function

Display Mode	Support Dual display (Duplicate mode, Extend mode) Max Resolution(VGA): 1920*1080@60Hz; Max Resolution(HDMI): 1920*1080@60Hz
Boot Mode	PXE / Auto-power-on / Wake-on-LAN
Intel Virtualization	Not support
Intel Hyper-Threading	Not support
Working Environment	Temperature: -10~60 °C Relative Humidity: 0~95% (No Condensation)
Working Voltage	DC 12V - 3A
Static Electricity	Contact discharge 2K, Air discharge 6K
Storage Environment	Temperature: -10~60 °C Relative Humidity: 0~95% (No Condensation)

K1-F6

A6-1450TYC



01	Power ON/OFF	02	Indicator light	03	MIC
04	SPK	05	USB3.0*2	06	USB2.0*2
07	Type-C	08	HDMI	09	VGA
10	Reset	11	USB2.0*2	12	RJ45 Gigabit LAN
13	DC12V Input	14	Lock slot	15	RS232 COM*2 (Optional Port)
Size	L 106.4mm*W 159.8mm*H 32.5mm			Weight	Net : 0.6kg Gross : 1.5kg

Specification

Features	Use aluminum alloy shell, ice fin heat dissipation design, industrial style; classic and beautiful
Heat Dissipation	Fanless Passive Cooling
Bracket	Dedicated bracket; Support VESA bracket or DIN bracket
Packing Box	Kraft paper color box + Anti-fall corrugated outer box
Packing List	Power Adapter * 1 Power Cable * 1 VESA Bracket * 1
	User Manual * 1 QC Card* 1 Screws * 1

Performance

Overall Performance Mark	Master Lu		CINBENCH	3D MARK11	PC MARK	
	CPU	12059	GPU	4800	182	P483
Video Experience						
Game Experience						
Office Experience						